## LISTING OF CLAIMS

1. (Currently Amended) A method for facilitating the delivery of water to a plurality of cage level barrier-type cages, for housing animals for an animal study, the method comprising:

providing a plurality of cage level barrier-type cages for an animal study at a laboratory facility site; and

providing disposing a bag forming bag filling apparatus at a clean side of a laboratory washroom at the laboratory facility site;

filling a plurality of bags with water at the clean side;

sealing the bags of water at the clean side.

wherein the bag forming apparatus is capable of providing sealed bags of water for use in the cage level barrier-type cages;

inserting a valve into the sealed bags of water for dispensing water to one or more animals housed in said cages.

- 2. (Currently Amended) The method of claim 1, further comprising providing bags to be filled with water bag material to the laboratory facility site.
- 3-7 (Canceled)
- 8. (Currently Amended) The method of claim 71, wherein the bag forming bag filling apparatus is capable of providing additives to the water.
- 9-10 (Canceled)
- 11. (Original) The method of claim 1, further comprising providing a disposable fluid valve for use with one of the sealed bags of water.

- 12. (Original) The method of claim 11, wherein the disposable fluid valve is formed of plastic.
- 13. (Original) The method of claim 1, further comprising:

providing a disposable fluid delivery valve assembly for use with one of the sealed bags of water, the valve assembly comprising;

an upper member having a fluid channel defined therethrough;

a base having a flange member and a base fluid channel defined therethrough, wherein the base is designed to be matingly coupled to the upper member;

wherein the fluid delivery valve assembly is adapted to be coupled to the fluid bag to facilitate the providing of the water to a cage level barrier-type cage.

14. (Currently Amended) A method for facilitating the delivery of water to a plurality of cage level barrier-type cages disposed at a laboratory facility site, for housing animals for an animal study, the method comprising:

providing disposing a bag forming bag filling apparatus at a clean side of a laboratory washroom at the a laboratory facility site;

wherein the bag forming apparatus is capable of providing sealed bags of water for use in the cage level barrier-type cages.

filling a plurality of bags with water at the clean side;

sealing the bags of water at the clean side;

inserting a valve into the sealed bags of water for dispensing water to one or more animals housed in cage level barrier-type cages.

- 15. (Currently Amended) The method of claim 14, further comprising providing <u>bags to be</u> filled with water <u>bag material</u> to the laboratory facility site.
- 16. (Original) The method of claim 14, further comprising providing a disposable fluid valve for use with one of the sealed bags of water.
- 17. (Original) The method of claim 16, wherein the disposable fluid valve is formed of plastic.
- 18. (Original) The method of claim 14, further comprising providing a ventilated rack and cage system comprising a plurality of cage level barrier-type cages for placement at the laboratory facility site.
- 19. (Canceled)
- 20. (Original) The method of claim 14, further comprising providing a conveyor system at the clean side of the laboratory washroom at the laboratory facility site for transporting the sealed water bags.
- 21. (Original) The method of claim 14, further comprising providing one or more totes for storing and transporting the sealed water bags.
- 22. (Original) The method of claim 21, further comprising providing a tote cart for transporting a plurality of the totes from the clean side of the washroom to a laboratory room containing the cage level barrier-type cages.

- 23. (Original) The method of claim 22, further comprising providing a tote conveyor platform for transporting the totes with sealed water bags from the conveyor system to the tote cart.
- 24. (Original) The method of claim 14, further comprising providing a compacting apparatus for compacting the sealed water bags after they are removed from the cage level barrier-type cages.
- 25-35 (Canceled)
- 36. (Currently Amended) A system for facilitating the delivery of water to a plurality of cage level barrier-type cages disposed at a laboratory facility site, for housing animals for an animal study, the system comprising:
  - a bag forming bag filling apparatus designed and configured constructed and arranged to provide filled bags of water for placement at a clean side of a laboratory washroom at the a laboratory facility site;

wherein the bag forming apparatus is capable of providing sealed bags of water are constructed and designed to be sealed and used for use in the cage level barrier-type cages;

- a plurality of valves for insertion into the bags of water for dispensing water to one or more animals housed in the cages.
- 37. (Currently Amended) The system of claim 36, further comprising <u>bags to be filled with</u> water <u>bag material</u> that are <u>is-provided</u> to the laboratory facility site.

- 38. (Original) The system of claim 36, further comprising a disposable fluid valve provided at the laboratory facility site for use with one of the sealed bags of water.
- 39. (Original) The system of claim 38, wherein the disposable fluid valve is formed of plastic.
- 40. (Original) The system of claim 36, further comprising a ventilated rack and cage system comprising a plurality of cage level barrier-type cages for placement at the laboratory facility site.
- 41. (Canceled)
- 42. (Original) The system of claim 36, further comprising a conveyor system for placement at the clean side of the laboratory washroom at the laboratory facility site for transporting the sealed water bags.
- 43. (Original) The system of claim 36, further comprising one or more totes for storing and transporting the sealed water bags.
- 44. (Original) The system of claim 43, further comprising a tote cart for transporting a plurality of the totes from the clean side of the washroom to a laboratory room containing the cage level barrier-type cages.
- 45. (Original) The method of claim 44, further comprising providing a tote conveyor platform for transporting the sealed water bags from the conveyor system to the tote cart.

- 46. (Original) The system of claim 36, further comprising a compacting apparatus for compacting the sealed water bags after they are removed from the cage level barrier-type cages.
- 47. (New) A method for facilitating the delivery of fluids to a plurality of cage level barriertype cages, for housing animals for an animal study, the method comprising:

filling a plurality of bags with one or more fluids at a clean side of a laboratory site;

sealing the bags at the clean side; and inserting drinking valves into the bags at the clean side.

- 48. (New) The method of claim 47, wherein the clean side comprises a laboratory research room.
- 49. (New) The method of claim 47, wherein inserting the drinking valves into the bags seals the bags.
- 50. (New) The method of claim 47, wherein the bags are sealed prior to inserting the drinking valves.
- 51. (New) A method for facilitating the delivery of fluids to a plurality of cage level barrier-type cages, for housing animals for an animal study, the method comprising:

providing a plurality of cage level barrier-type cages for an animal study at a laboratory facility site;

providing, at a clean side of the laboratory facility site, one or more sealed bags of fluids for use in the cage level barrier-type cages; and

attaching a drinking valve to the sealed bags of fluids at the clean side of the laboratory facility, wherein the fluids can flow through the drinking valve.

- 52. (New) The method according to claim 51, wherein attaching a drinking valve comprises inserting the valve into the sealed bags of fluids.
- 53. (New) The method according to claim 51, further comprising piercing the sealed bags of fluids.
- 54. (New) A system for facilitating the delivery of fluids to a plurality of cage level barriertype cages disposed at a laboratory facility site, for housing animals for an animal study, the system comprising:

a plurality of cage level barrier-type cages for placement at a laboratory facility site;

one or more bags of fluids for use in the cage level barrier-type cages; and one or more valves for insertion into the bags of fluids at the clean side; wherein the bags having the valves inserted therein are sealed.